





PVB015 Flange DU Bushes



s_3	1.0	1.5	2.0	2.5
r	$1^{±0.5}$	$1.5^{±0.5}$	$1.5^{±0.5}$	$2^{±0.5}$



Detail z
Unit:mm

shaft D_s	Housing H7 D_H	OD tolerance D_o	ID after fixed D_{la}	Clearance C_D	Part Number	wall thickness s_3	Dimension				
							D_i	D_o	$D \pm 0.5$	$B \pm 0.25$	$s_{fl} - 0.2$
6 -0.013 -0.028	8 +0.015	8 +0.055 +0.025	6.055 5.990	0.077 0.000	PVB015F06040	1.005 0.980	6	8	12	4	1
					PVB015F06070					7	
8 -0.013 -0.028	10 +0.015	10 +0.055 +0.025	8.055 7.990	0.083 0.003	PVB015F08055	1.005 0.980	8	10	15	5.5	1
					PVB015F08075					7.5	
10 -0.016 -0.034	12 +0.018	12 +0.055 +0.025	10.058 9.990	0.086 0.003	PVB015F10070	1.005 0.980	10	12	18	7	1
					PVB015F10090					9	
					PVB015F10120					12	
12 -0.016 -0.034	14 +0.018	14 +0.065 +0.030	12.058 11.990	0.092 0.006	PVB015F12070	1.005 0.980	12	14	20	7	1
					PVB015F12090					9	
					PVB015F12120					12	
14 -0.016 -0.034	16 +0.018	16 +0.065 +0.030	14.058 13.990	0.092 0.006	PVB015F14120	1.005 0.980	14	16	22	12	1
					PVB015F14170					17	
					PVB015F15090					9	
15 -0.016 -0.034	17 +0.018	17 +0.065 +0.030	15.058 14.990	0.092 0.006	PVB015F15120	1.005 0.980	15	17	23	12	1
					PVB015F15170					17	
					PVB015F16120					12	
16 -0.016 -0.034	18 +0.018	18 +0.065 +0.030	16.058 15.990	0.092 0.006	PVB015F16170	1.005 0.980	16	18	24	17	1
					PVB015F18120					12	
					PVB015F18170					17	
18 -0.016 -0.034	20 +0.021	20 +0.075 +0.035	18.061 17.990	0.095 0.006	PVB015F18200	1.005 0.980	18	20	26	20	1
					PVB015F20115					11.5	
					PVB015F20165					16.5	
20 -0.020 -0.041	23 +0.021	23 +0.075 +0.035	20.071 19.990	0.112 0.010	PVB015F20215	1.505 1.475	20	23	30	21.5	1.5
					PVB015F22150					15	
					PVB015F22200					20	
22 -0.020 -0.041	25 +0.021	25 +0.075 +0.035	22.071 21.990	0.112 0.010	PVB015F25115	1.505 1.475	22	25	32	11.5	1.5
					PVB015F25165					16.5	
					PVB015F25215					21.5	
25 -0.020 -0.041	28 +0.021	28 +0.075 +0.035	25.071 24.990	0.126 0.010	PVB015F30160	2.005 1.970	25	28	35	16	2
					PVB015F30260					26	
					PVB015F35160					16	
30 -0.025 -0.050	34 +0.025	34 +0.075 +0.035	30.085 29.990	0.126 0.010	PVB015F35260	2.005 1.970	30	34	42	26	2
					PVB015F40260					26	
35 -0.025 -0.050	39 +0.025	39 +0.085 +0.045	35.085 34.990	0.126 0.010	PVB015F40400	2.005 1.970	35	39	47	40	2
					PVB015F40400					40	

